



MONUMENT RECORD

STATE OF INDIANA ~ COUNTY OF MONROE

Section 18, Township 9 North, Range 1 West,Monument Description & Remarks: Pyramid Limestone 1.0' Above Ground With "X"
In top and "SC" Scribed on South Face.

Recovery Tie Drawing

- A - Pyramid Limestone with "X"
- B - PK Nail in N. Side PP
S 80° E, 8.00' from Stone.
- C - "T" Post Paper Box Post
S 18° E, 4.2' from Stone.
- D - Top Center Of South End Of 14" Galvanized C.M.P.
S 62° W, 45.8' from Stone.



● = at Corner



State Plane Coordinate (NAD83 Survey Feet, Indiana West Zone)-

Northing: 1448060.0588 Easting: 3097129.2715 Elev.: 770.16COMPLETED By *Ben E. Bledsoe*

I, Ben E. Bledsoe, Registered Land Surveyor, here by certify that this document was prepared under my direction in accordance with the provisions of Section 17-3-64-4 through 17-3-64-8 of the Indiana Code, being Acts of 1965, Chapter 319; this 27th day of December, 2004 A.D.

Ben E. Bledsoe

Indiana Registered Land Surveyor No. S0559



MONUMENT RECORD

State of Indiana - County of Monroe

Section: 18

Township: 9 North

Range: 1 West


Corner ID: Blm A-09

Monument Description & Remarks: Found Limestone monument marked w/"+" on top, "S C" on south face, and old bleached and brittle flagging, at NW corner of section. Limestone measured .50' x .35' x .20' out of ground. Existing PK nail in power line pole is only found witness to 1983 ties (see attached drawing).

RECOVERY TIE DRAWING

Field Book 97-03 Page No. 32

USGS Bloomington Quad



A - Limestone w/"+" on top, "S C" on south face

B - North 73 degrees West, 30.00' from stone
Bolt on water meter cover plate

C - South 78 degrees East, 7.92' from stone
PK nail in 10" utility pole
Survey marker sign set 3' up

D - South 03 degrees West, 3.69' from stone
PK nail in mail box post (3310 Lost Mans Lane)

E - South 00 degrees East, 98.80' from stone
5/8" rebar w/yellow "K B Potter" cap

Not To Scale

Compass Bearing Magnetic North

I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of Section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 15th day of October, 1997.

Kevin P. Enright

Administered by

Surveyor

Review Board



Indiana R.L.S. No.



MONUMENT RECORD

CORNER I.D.
A - 9


STATE OF INDIANA - COUNTY OF MONROE

SECTION 7, TOWNSHIP 9 NORTH, RANGE 1 WEST

MONUMENT DESCRIPTION & REMARKS

FOUND LIMESTONE STONE W/ " X " , TOP = 0.30 FT. X 0.20 FT.
BOTTOM = 0.50 FT. X 0.40 FT. X 0.50 FT. TALL. STONE IS JUST
BEHIND MAILBOX .

RECOVERY TIE DRAWING



STATE OF INDIANA

COUNTY OF MONROE

I, EDMUND O. FARKAS HEREBY CERTIFY THAT THIS DOCUMENT WAS PREPARED UNDER MY DIRECTION IN ACCORDANCE WITH THE PROVISIONS OF SECTION 17-3-64-4 - 17-3-64-8 OF THE INDIANA CODE, BEING ACTS OF 1965, CHAPTER 319; AND THE ABOVE DATA IS GIVEN UNDER MY HAND AND SEAL THIS 4 TH. DAY OF APRIL, 1983 A.D.

SPACE
RESERVED
FOR
RECORDING
OFFICER.

INDIANA REGISTERED LAND SURVEYOR NO. _____

OR _____

UNITED STATES GOVERNMENT AGENCY

TITLE _____

TOWNSHIP:
BLOOMINGTON

CORNER I.D.

A - 9